

Link do produktu: <http://www.solarsystemy.pl/hybrydowy-regulator-wiatrowo-solarny-mppt-tg-400-p-1281.html>



Hybrydowy regulator Wiatrowo-Solarny MPPT TG-400

Cena brutto	550,00 zł
Cena netto	447,15 zł
Dostępność	Dostępny

Opis produktu

Type		TG-400
System rated voltage		12V/24V
Solar/PV module power		150W / 300W
Wind turbine power		400W
Charging	Charging	20A(wind) 5A-10A(solar)
	Equalize Protection	14.4V±1% 28.8V±1%

	Float charge	13.8V±1% 27.6V±1%
	Equalize recovery	13.2V±1% 26.4V±1%
Over discharge	Disconnect (DC)	10.9V±1% 21.8V±1%
	Restoration (DC)	12.3V±1% 24.6V±1%
Overvoltage	Cut off (DC)	16V±1% 32V±1%
	Restoration (DC)	15V±1% 30V±1%
Load Current(DC)		≤0.06A
Voltage drop(DC)		≤0.5V
Control mode		Dual maximum power point tracking-MPPT (PWM charging efficiency 20% higher than ordinary type)

Display mode	Digital tube and LED
Display Parameters	Battery power, the load output
Type of protection	Solar reverse charge protection, battery open-circuit protection, reverse battery protection, over-speed and over-voltage protection soft automatic braking
Heat dissipation	Heat sink
Ambient temperature	-25°C~+55°C
Use altitude	≤4000m(>2000m need to reduce power usage)
Humidity	0~90%, No condensation
Waga	880
Wymiary	Length 125 x width 151 x high 66(mm)